



**TE** Triangular Type  
20° Relief  
Without Insert Hole



Grade Selection >>> A2

Chipbreaker Selection >>> From B8

Grade Selection By Work Material >>> From A8

(Legend) Continuous Cut ● : 1st Choice ○ : 2nd Choice Medium Cut ● : 1st Choice ○ : 2nd Choice Interrupted Cut ★ : 1st Choice ☆ : 2nd Choice

**TE 1102**

• l : 11.0 • s : 2.38  
• ød : 6.35

SUMIDIA (PCD) Inserts **M19**

Recommended Application	Coat													Coated Cermet			Cermet			Carbide														
	AC810P	AC820P	AC830P	AC2000	AC610M	AC630M	AC6030M	AC6040M	AC405K	AC415K	AC420K	AC410K	AC503U	AC510U	AC520U	AC530U	ACZ150	T1500Z	T3000Z	T2000Z	T1000A	T1500A	T110A	T1200A	ST10P	ST20E	A30	G10E	EH510	EH520	H1			
P steel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
M stainless steel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
K cast iron	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
N non-ferrous metal	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
S exotic alloy	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
H hardened steel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Light Cutting	Shape	Cat. No.	rE
Light Cutting		TEGN 110202 110204 110208	0.2
			0.4
			0.8

**TE 1103**

• l : 11.0 • s : 3.18  
• ød : 6.35

SUMIDIA (PCD) Inserts **M19**

Recommended Application	Coat													Coated Cermet			Cermet			Carbide															
	AC810P	AC820P	AC830P	AC2000	AC610M	AC630M	AC6030M	AC6040M	AC405K	AC415K	AC420K	AC410K	AC503U	AC510U	AC520U	AC530U	ACZ150	T1500Z	T3000Z	T2000Z	T1000A	T1500A	T110A	T1200A	ST10P	ST20E	A30	G10E	EH510	EH520	H1				
P steel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
M stainless steel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
K cast iron	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
N non-ferrous metal	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
S exotic alloy	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
H hardened steel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Light Cutting	Shape	Cat. No.	rE
Light Cutting		TEGN 110302 110304 110308	0.2
			0.4
			0.8

**TE 1603**

• l : 16.5 • s : 3.18  
• ød : 9.525

SUMIDIA (PCD) Inserts **M19**

Recommended Application	Coat													Coated Cermet			Cermet			Carbide															
	AC810P	AC820P	AC830P	AC2000	AC610M	AC630M	AC6030M	AC6040M	AC405K	AC415K	AC420K	AC410K	AC503U	AC510U	AC520U	AC530U	ACZ150	T1500Z	T3000Z	T2000Z	T1000A	T1500A	T110A	T1200A	ST10P	ST20E	A30	G10E	EH510	EH520	H1				
P steel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
M stainless steel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
K cast iron	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
N non-ferrous metal	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
S exotic alloy	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
H hardened steel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Light-Medium Cut	Shape	Cat. No.	rE
Light-Medium Cut		TEGN 160302 160304 160308	0.2
			0.4
			0.8