

Tubes



Comparison points with similar parts

We have not only tubes for air but also water resistant polyurethane tubes which can be used for water and other variety of products. We will ship a tube cut to the length you specify so that you can use it without any waste.

Water Resistant Polyurethane Tubes PUT PUTL



Material: Polyurethane

| Part Number | Standard Length (m) | Configurable Length (0.5m Increment) | Tube Color | I.D. (mm) | Min. Bending Radius (mm) | O.D. Accuracy (mm) | Mass (kg / m) | Standard | | Configurable Length | | | | |
|--------------------------|---------------------|--------------------------------------|------------------------------|-----------------------|------------------------------|--------------------|---------------|------------|----------------------|---------------------|--------------------------|------|-----------|------|
| | | | | | | | | Unit Price | Volume Discount Rate | Unit Price / m | Volume Discount Rate / m | | | |
| PUT (Standard Length) | 3.2 | 10 | B (Black) C (Transparent) | 1.8 | 7 | ±0.1 | 0.0064 | 1-4 pc(s) | 5-10 | 1-4 pc(s) | 5-10 | | | |
| | | 20 | | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | | |
| | 4 | 10 | | | | | | | | | | | | |
| | | 20 | | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | | |
| | 6 | 10 | | | | | | | | | | | | |
| | | 20 | | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | | |
| | 8 | 10 | | 0.5- 9.5 10.5-19.5 | B (Black) C (Transparent) | | 4 | 12 | ±0.1 | 0.019 | 1-4 pc(s) | 5-10 | 1-4 pc(s) | 5-10 |
| | | 20 | | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | | |
| 10 | 10 | | | | | | | | | | | | | |
| | 20 | | | | | | | | | | | | | |
| | 100 | | | | | | | | | | | | | |
| 12 | 10 | | | | | | | | | | | | | |
| | 20 | | | | | | | | | | | | | |
| | 100 | | | | | | | | | | | | | |
| 16 | 10 | | | | | | | | | | | | | |
| | 20 | | | | | | | | | | | | | |
| | 100 | | | | | | | | | | | | | |

Soft Polyurethane Tubes PUTY PUTYL



Material: Soft Polyurethane

| Part Number | Standard Length (m) | Configurable Length (0.5m Increment) | Tube Color | I.D. (mm) | Min. Bending Radius (mm) | O.D. Accuracy (mm) | Mass (kg / m) | Standard | | Configurable Length | | | |
|---------------------------|---------------------|--------------------------------------|------------------------------|-----------|--------------------------|--------------------|---------------|---------------|----------------------|---------------------|--------------------------|-----------|------|
| | | | | | | | | Unit Price | Volume Discount Rate | Unit Price / m | Volume Discount Rate / m | | |
| PUTY (Standard Length) | 4 | 10 | B (Black) C (Transparent) | 2.5 | 17 | +0.05 -0.2 | 0.009 | 1-4 pc(s) | 5-10 | 1-4 pc(s) | 5-10 | | |
| | | 20 | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | |
| 6 | 10 | | | | | | | | | | | | |
| | 20 | | | | | | | | | | | | |
| | 100 | | | | | | | | | | | | |
| 8 | 10 | 0.5- 9.5 10.5-19.5 | | B (Black) | 4 | | 28 | +0.05 -0.2 | 0.019 | 1-4 pc(s) | 5-10 | 1-4 pc(s) | 5-10 |
| | 20 | | | | | | | | | | | | |
| | 100 | | | | | | | | | | | | |
| 10 | 10 | | | | | | | | | | | | |
| | 20 | | | | | | | | | | | | |
| | 100 | | | | | | | | | | | | |

Use Inserts for Soft Tubes on (P1390) when connecting these tubes to One-Touch Couplings.

Nylon Tubes PUTN PUTNL



Material: Nylon (Polyamide)

| Part Number | Standard Length (m) | Configurable Length (0.5m Increment) | Tube Color | I.D. (mm) | Min. Bending Radius (mm) | O.D. Accuracy (mm) | Burst Pressure (MPa) | Normal Pressure (MPa) | Mass (kg / m) | Standard | | Configurable Length | | |
|--------------------------------|---------------------|--------------------------------------|------------------------|-----------------------|--------------------------|--------------------|----------------------|-----------------------|---------------|------------|----------------------|---------------------|--------------------------|------|
| | | | | | | | | | | Unit Price | Volume Discount Rate | Unit Price / m | Volume Discount Rate / m | |
| PUTN (Standard Length) | 3.2 | 10 | B (Black) W (White) | 2 | 7 | ±0.05 -0.10 | 5.4 | 1.8 | 0.0052 | 1-4 pc(s) | 5-10 | 1-4 pc(s) | 5-10 | |
| | | 20 | | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | | |
| | 4 | 10 | | | | | | | | | | | | |
| | | 20 | | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | | |
| 6 | 10 | | | | | | | | | | | | | |
| | 20 | | | | | | | | | | | | | |
| | 100 | | | | | | | | | | | | | |
| PUTNL (Configurable Length) | 8 | 10 | | 0.5- 9.5 10.5-19.5 | 6.0 | 30 | ±0.05 | 3.9 | 1.3 | 0.026 | 1-4 pc(s) | 5-10 | 1-4 pc(s) | 5-10 |
| | | 20 | | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | | |
| | 10 | 10 | | | | | | | | | | | | |
| | | 20 | | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | | |
| 12 | 10 | | | | | | | | | | | | | |
| | 20 | | | | | | | | | | | | | |
| | 100 | | | | | | | | | | | | | |

Pressure Resistant Nylon Tubes PUTHP PUTHPL



Material: Nylon (Polyamide)

| Part Number | Standard Length (m) | Configurable Length (0.5m Increment) | Tube Color | I.D. (mm) | Min. Bending Radius (mm) | O.D. Accuracy (mm) | Burst Pressure (MPa) | Normal Pressure (MPa) | Mass (kg / m) | Standard | | Configurable Length | | |
|---------------------------------|---------------------|--------------------------------------|------------------------|-----------------------|--------------------------|--------------------|----------------------|-----------------------|---------------|------------|----------------------|---------------------|--------------------------|------|
| | | | | | | | | | | Unit Price | Volume Discount Rate | Unit Price / m | Volume Discount Rate / m | |
| PUTHP (Standard Length) | 4 | 10 | B (Black) W (White) | 2.5 | 15 | ±0.05 -0.1 | 8.8 | 2.9 | 0.008 | 1-4 pc(s) | 5-10 | 1-4 pc(s) | 5-10 | |
| | | 20 | | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | | |
| | 6 | 10 | | | | | | | | | | | | |
| | | 20 | | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | | |
| 8 | 10 | | | | | | | | | | | | | |
| | 20 | | | | | | | | | | | | | |
| | 100 | | | | | | | | | | | | | |
| PUTHPL (Configurable Length) | 10 | 10 | | 0.5- 9.5 10.5-19.5 | 8 | 50 | ±0.05 -0.1 | 5.1 | 1.7 | 0.029 | 1-4 pc(s) | 5-10 | 1-4 pc(s) | 5-10 |
| | | 20 | | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | | |
| | 12 | 10 | | | | | | | | | | | | |
| | | 20 | | | | | | | | | | | | |
| | | 100 | | | | | | | | | | | | |
| 16 | 10 | | | | | | | | | | | | | |
| | 20 | | | | | | | | | | | | | |
| | 100 | | | | | | | | | | | | | |

Soft Nylon Tubes PUTNS PUTNSL



Material: Nylon

| Part Number | Standard Length (m) | Configurable Length (0.5m Increment) | Tube Color | I.D. (mm) | Min. Bending Radius (mm) | O.D. Accuracy (mm) | Mass (kg / m) | Standard | | Configurable Length | | | |
|----------------------------|---------------------|--------------------------------------|------------|-----------|--------------------------|--------------------|---------------|------------|----------------------|---------------------|--------------------------|---------------------------------|-----|
| | | | | | | | | Unit Price | Volume Discount Rate | Unit Price / m | Volume Discount Rate / m | | |
| PUTNS (Standard Length) | 4 | 20 | W (White) | 2.5 | 9 | ±0.1 | 0.009 | 1-4 pc(s) | 5-10 | 1-4 pc(s) | 5-10 | | |
| | | | | | | | | | | | | PUTNSL (Configurable Length) | 10 |
| | | | | | | | | | | | | | 20 |
| | | | | | | | | | | | | | 100 |
| | | | | | | | | | | | | | 12 |



Ordering Example
Part Number - Length - Color
PUT4 - 10 - B
PUTNL8 - 2.5 - W